

EBK

EAST

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(business with logic with calculus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:41
S2	8	(business with calculus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:42
S3	283	process with calculus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:48
S4	3	process with calculus with generat\$3 with (code executable program software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:53
S5	10	pi-calculus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:57
S6	651	(dynamic continuous) with optimization with process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:13
S7	3480	business adj1 logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:34
S8	55	(business adj1 logic) with verif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:19
S9	92	(business adj1 logic) with generat\$3 with (executable code software program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:22
S10	5	(business adj1 logic) with generat\$3 with (executable code software program) and calculus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:22

S11	33	(business adj1 logic) with optim\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:50
S12	40	(business adj1 logic) with compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:34
S13	3	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:35
S14	138	(business adj1 logic) with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:53
S15	0	(business adj1 logic) with xml with calculus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:15
S16	2	(business adj1 logic) with calculus and xml with calculus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:53
S17	86	717/145.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:15
S18	253	717/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:15
S19	268	717/158.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:55
S20	0	(business adj1 (logic flow)) with profil\$3 with optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:55

S21	0	(business adj1 (logic flow)) with test\$3 with optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 09:38
S22	545	(workflow (work adj1 flow) (business adj1 (process flow logic))) with optimi\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 09:39
S23	44	(workflow (work adj1 flow) (business adj1 (process flow logic))) same optimi\$7 with (continuous dynamic profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:54
S24	53	("5890133").URPN.	USPAT	OR	ON	2005/09/29 09:44
S25	3	("5301320" "5630069" "5721913").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 09:50
S26	25	(calculus) same optimi\$7 with (continuous dynamic profil\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 09:53
S27	8	(workflow (work adj1 flow) (business adj1 (process flow logic))) same optimi\$7 with (continuous dynamic profil\$3) same execut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:55

Terms used

profile guided **SENTENCE** optimization **PARAGRAPH** workflow OR business logic OR business flow OR business process

Sort results by
 [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results
 [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ [Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale |

1 [An asynchronous rule-based approach for business process automation using obligations](#)

Alan Abrahams, David Eysers, Jean Bacon

October 2002 **Proceedings of the 2002 ACM SIGPLAN workshop on Rule-based programming**

Full text available:  pdf(498.93 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The Edee architecture provides a mechanism for explicitly and uniformly capturing business occurrences, and provisions of contracts, policies, and law. Edee is able to reason about the interactions of intra-, inter-, and ext organizational policy, and execute business procedures informed by the combined legal effects of these diverse rules. We show through an example how Edee's asynchronous approach, namely to initiate actions only after consulting the database to de ...

Keywords: conflict detection, conflict resolution, contracts, policies

2 [Sequential thematic organization of publications: how to achieve coherence in proposals and reports](#)

J. R. Tracey, D. E. Rugh, W. S. Starkey

August 1999 **ACM SIGDOC Asterisk Journal of Computer Documentation**, Volume 23 Issue 3

Full text available:  pdf(3.80 MB)

Additional Information: [full citation](#), [index terms](#)

3 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  pdf(4.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagram are often used to obtain a better understanding of the execution of the application. The visualization tool we use Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial communication ...

4 [Interactive Editing Systems: Part II](#)

Norman Meyrowitz, Andries van Dam

September 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 3

Full text available:  pdf(9.17 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 [Service composition: Hybrid web service composition: business processes meet business rules](#)

Anis Charfi, Mira Mezini

November 2004 **Proceedings of the 2nd international conference on Service oriented computing**

Terms used **profile guided optimization** AND **workflow** OR **business logic** OR **business flow**

Found 125 of 161,645

Sort results by

☒ relevance

 [Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display results

☒ expanded form

 [Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 125


Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Demos: ATCT: a Java framework that offers new approach to developing asynchronous processes](#)

Serguei Mourachov

October 2003 **Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**

Full text available:  pdf(116.06 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The development of modern loosely coupled distributed applications requires extensive use of asynchronous processes. The ability to manipulate execution context could simplify development of such applications, helping to separate business logic from handling asynchrony. This paper describes a framework that implements Execution Context Reification for Java Virtual Machine (JVM). The framework uses built-in secondary bytecode interpreter that provides access to Execution Context as a first class s ...

Keywords: Java framework, asynchronous processes, execution context reification

2 [Coordination in MAS: Commitments and causality for multiagent design](#)

Feng Wan, Munindar P. Singh

July 2003 **Proceedings of the second international joint conference on Autonomous agents and multiagent systems**

Full text available:  pdf(248.77 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper unifies two recent strands of research in multiagent system design. One, commitments are widely recognized as capturing important aspects of interactions among agents, but current approaches tend to emphasize individual commitments and typically restrict themselves to interactions between pairs of agents. Two, methodologies for multiagent system design consider protocols and coordination requirements, but do not seriously accommodate commitments. This paper proposes a methodology to i ...

Keywords: Dooley graphs, commitments, conversation analysis, roles

3 [OOPSLA onward!: Protocols for processes: programming in the large for open systems](#)

Munindar P. Singh, Amit K. Chopra, Nirmal Desai, Ashok U. Mallya

December 2004 **ACM SIGPLAN Notices**, Volume 39 Issue 12

Full text available:  pdf(378.93 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The modeling and enactment of business processes is being recognized as key to modern information management. The expansion of Web services has increased the attention given to processes, because processes are how services are composed and put to good use. However, current approaches are inadequate for flexibly modeling and enacting processes. These approaches take a logically centralized view of processes, treating a process as an